

**MULTIPLE
SMALL**



MULTIPLE SMALL

Collection of multi-lamps directional LED downlight for commercial and institutional applications. Single or multiple optical assembly allows scalable lighting solutions for most interior lighting applications.

Versatile and flexible, the MULTIPLE SMALL is most suited for retail projects or architectural applications where high color rendering and high system efficiency are desired.




OPTICAL PERFORMANCE

Precise optics with multifaceted reflector deliver maximum efficiency and color brilliance without chromatic distortions. Field interchangeable reflectors available with three distributions : Spot / Narrow Flood / Flood / Wide Flood.



PROVEN TECHNOLOGY


The LEDs inside the MULTIPLE SMALL are LM80 tested to guarantee reliable performance and color consistency. Available in most common color temperatures and color rendering up to 97 CRI. Application specific solutions with unique spectral distribution are also available on demand.



RELIABLE PERFORMANCE

Proprietary light weight heat sink design with exceptional thermal performance that yields reliable color consistency and light output during the life of the product.

Our industry leading lumen maintenance of L90@100,000 hours allows designers to calculate precise lighting levels without overcompensating for lumens depreciation.



ACCESSORIES

Cross Baffle, Snoot, Visor, Hex Cell Louver.

Colorless optical glass lenses:
Soft Focus Lens, Elliptical Lens, Frosted Lens.



FULL SPECTRUM


The spectral distribution match closely the natural light in most color temperatures.

The new light source delivers a high-fidelity spectral output that creates stunning environments with excellent color rendering (98CRI) and outstanding TM-30 metrics.



NARROW BEAM

Extra clear verging PMMA material with micro-prismatic texture reduces the field angle and eliminates unwanted light on the targeted surfaces.



SPECIFICATIONS

14 Watts per lamp

Up to 1250 Lumens per lamp

2700K / 3000K / 3500K / 4000K

80 / 90

MODELS

1 ROUND 5"Ø, H: 10" (127mm Ø, H: 254mm)

1 SQUARE 5" SQ., H: 6" (127mm SQ., H: 152mm)

DOUBLE 9"L x 5"W x 6"H (229mm x 127mm x 152mm)

TRIPLE 12¾"L x 5"W x 6"H (324mm x 127mm x 152mm)

FOUR 16½"L x 5"W x 6"H (419mm x 127mm x 152mm)

4 SQUARE 9" SQ., H: 7½" (229mm SQ., H: 191mm)

SIX 24"L x 5"W x 6"H (610mm x 127mm x 152mm)


Single Round




Single Square



Four Square



Double



Triple



Four



Six

